

Weekly Weather And Crop Bulletin

Washington, D.C.

Released May 24, 2005, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, U.S. Department of Agriculture. For information on *Weekly Weather and Crop Bulletin* call Brian T. Young at (202) 720-7621, office hours 7:30 a.m. to 4:00 p.m. ET.

National Weather Summary Volume 92, No. 21 May 15 - 21, 2005

For additional information, call (202) 720-2397.

Highlights: A sudden Southwestern heat wave lifted weekly temperatures as much as 10 degrees F above normal, triggering lowland flooding downstream of rapidly melting high-elevation snow packs. Late-week temperatures topped 110 degrees F in parts of the Desert Southwest. Meanwhile in California, warmer weather promoted summer crop emergence and rapid crop development. Hot weather also overspread the central and southern Plains, where increasingly dry conditions stressed pastures, filling winter grains, and emerging summer crops. Late-week temperatures approached or reached 100 degrees F as far north as Kansas and southwestern Nebraska. In contrast, widespread, locally heavy showers maintained generally favorable conditions for winter wheat and spring-sown small grains across the northern Plains and the Northwest. In the Midwest, chilly weather from the Mississippi Valley eastward contrasted with warm conditions farther west. Summer crop emergence remained sluggish in the eastern Corn Belt due to persistently cool weather, while scattered showers provided only limited relief from short-term dryness from the middle Mississippi Valley northeastward into much of Michigan and Wisconsin. Elsewhere, mostly dry, very warm weather from the Delta westward maintained heavy irrigation demands and increased stress on Southern pastures and dryland summer crops. Meanwhile, beneficial showers dampened the Southeastern and Mid-Atlantic States, where temperatures averaged as much as 8 degrees F below normal.

Early in the week, chilly weather lingered across the **northern Plains** and **upper Midwest**. Daily-record lows were established in locations such as **Pierre**, **SD** (29 degrees F on May 15), and **Ottumwa**, **IA** (36 degrees F on May 16). Meanwhile, a wet spring pattern continued into a tenth consecutive week across the **Northwest**. On May 16, daily-record totals in **Idaho** included 1.20 inches in **Burley**, 1.10 inches in **Pocatello**, and 0.81 inch in **Boise**. In **Nevada**, record amounts for May 16 reached 0.98 inch in **Elko** and 0.89 inch in **Ely**. **Sacramento**, **CA** (0.13 inch), also collected a daily-record sum on May 16, boosting its month-to-date total to 1.62 inches. The only higher May totals on record in **Sacramento** were 2.88 inches in 1906; 1.97 inches in 1900; and 1.65 inches in 1990. In **Utah** on May 17, winds were clocked to 72 m.p.h. near the **Great Salt Lake** and 70 m.p.h. on I-80 near the **Dugway Proving Grounds**. Meanwhile as much as a foot of snow blanketed **Utah's Wasatch Range**, where snow depths remained as high as 173 inches (at **Alta**, elevation 9,600 feet). Farther east, two rounds of beneficial showers overspread the **northern Plains**. In **North Dakota**, **Dickinson's** weekly rainfall of 1.58 inches boosted its May 1-21 total to 4.11 inches (291 percent of normal). Locally heavy showers also overspread the **upper Midwest**, where **Rochester**, **MN** (1.56 inches on May 18), collected a daily-record amount.

At midweek, a final round of heavy rain overspread **northern California** and the **Northwest**. **California** daily records for May 18 included 1.60 inches in **Santa Rosa** and 1.39 inches in **Red Bluff**. Farther south, record warmth arrived in the **Southwest** on May 19. Daily records were set or tied in more than 100 locations across the **Plains**, **West**, and **South** on both May 20 and 21. In **Utah**, **Hanksville** (96, 99, and 96 degrees F from May 19-21) closed the week with three consecutive daily-record highs. Both **Tucson**, **AZ** (105 degrees F), and **Las Vegas**, **NV** (102 degrees F), noted daily-record highs on May 20 and marked their first triple-digit heat of the year. The normal date of the year's first high temperature of 100 degrees F or greater is May 26 in **Tucson** and May 25 in **Las Vegas**. Farther east, record highs across the **Plains** and the **South** on May 21 included 102 degrees F in **Russell**, **KS**; 101 degrees F in **El Paso**, **TX**, and **Cherokee**, **OK**; and 99 degrees F in **Lake Charles**, **LA**. Elsewhere in **Louisiana**, **New Iberia** (98 degrees F on May 21) tied its May record high, previously attained on May 31, 1951. Late-week heat across the **Plains** and **South** aggravated the effects of recent dryness. **Little**

Rock, **AR**, received rainfall totaling 0.76 inch from April 12 - May 21, representing its driest such period on record. **Little Rock** also posted a daily-record high (95 degrees F) on May 20. In contrast, heavy, late-week showers drenched parts of the **East**. Daily-record totals for May 20 included 3.83 inches in **Salisbury**, **MD**, and 3.70 inches in **Georgetown**, **DE**.

Warm weather persisted in **Hawaii**, where daily average temperatures were above normal on each of the month's first 22 days in locations such as **Lihue**, **Kauai**, and **Hilo**, on the **Big Island**. May 1-22 temperatures averaged 2.6 degrees F above normal in **Lihue** and **Hilo**, and 4.3 degrees F above normal in **Honolulu**, **Oahu**. **Honolulu** achieved a daily-record high on May 20, reaching 90 degrees F for the fourth time this month. Although most of **Hawaii** remained mostly dry, some heavy, mid- to late-week showers developed in windward locations. Selected 24-hour totals included 3.98 inches on May 18-19 at **Oahu's Manoa Lyon Arboretum** and 2.18 inches on May 19-20 at **West Wailuaiki**, **Maui**. Farther north, cool weather overspread **western Alaska**, but weekly temperatures ranged from 1 to 7 degrees F above normal across the remainder of the State. Locally heavy showers were mostly confined to **interior Alaska**, where **Fairbanks** netted a daily-record total (0.45 inch) on May 15 and a 3-day (May 15-17) rainfall of 0.94 inch. **Fairbanks'** May 1-22 total of 1.18 inches (347 percent of normal) contrasted with month-to-date totals of 0.86 inch (39 percent) in **Valdez** and 0.36 inch (15 percent) in **Juneau**.

National Agricultural Summary May 16 - 22, 2005

Highlights: Above-normal temperatures prevailed in the Great Plains and Rocky Mountains, encouraging winter wheat development and summer crop emergence. However, the hot weather, combined with dry conditions in the central and southern parts of the region, continued to worsen winter wheat condition. Meanwhile, in the Dakotas, light to moderate precipitation improved soil moisture conditions. Moderate rainfall in the Southeast was not enough to hamper cotton and peanut planting. Persistent dryness in the Mississippi Delta forced many growers to irrigate. In the Corn Belt, dry conditions early in the week were favorable for planting, with beneficial showers prevailing later in the week. Rainfall in the Pacific Northwest hindered planting but continued to improve soil moisture levels.

Corn: Growers had planted 95 percent of their acreage, the same as last year but 7 percentage points ahead of normal. Emergence advanced to 66 percent complete, 13 points behind last year but the same as the 5-year average. Planting was nearly complete across the central Corn Belt and was ahead of the normal pace in all States, except Colorado, Minnesota, and Texas. The crop emerged rapidly, advancing 25 points nationwide. Hot, mostly dry weather in the Great Plains allowed 38 percent of Nebraska's crop to emerge, while emergence advanced 35 points in Iowa. Emergence was ahead of normal across the central Corn Belt, but trailed the normal pace by 6 days in Minnesota and North Dakota.

Soybeans: Sixty-five percent of the acreage had been planted, the same as last year but 9 points ahead of normal. Emergence, at 27 percent complete, was 11 points behind last year and 1 point behind the 5-year average. Planting progressed rapidly in the Great Plains under mostly dry conditions. Nebraska and North Dakota growers planted 35 and 30 percent of their acreage, respectively, during the week, but planting was most active in Tennessee, advancing 39 points. The crop emerged rapidly in the central Corn Belt and Ohio Valley, advancing 25 to 30 points in Illinois, Indiana, and Kentucky. Emergence was well ahead of the normal pace in the Delta, but trailed behind normal in most other areas.

Winter Wheat: Heading was 71 percent complete, compared with 78 percent last year and 73 percent for the 5-year average. The crop was completely headed in Arkansas, California, and Oklahoma and neared heading completion in North Carolina and Texas. Heading progressed steadily in the central Great Plains under warm, dry conditions but remained behind normal due to cool-weather delays in previous weeks. Progress was well ahead of normal in the Pacific Northwest but trailed behind the normal pace elsewhere.

Cotton: Growers had seeded 68 percent of their acreage, 4 points behind last year and 2 points behind normal. Planting was nearly complete in the Delta and California, but trailed behind normal along the southern Atlantic Coast and in the southern Great Plains. Progress was more than 1 week behind normal in Oklahoma, where dry conditions in recent weeks have left many fields with inadequate moisture for planting.

Sorghum: Planting advanced to 37 percent complete, compared with 42 percent last year and 41 percent for the 5-year average. Nebraska producers planted over one-fourth of their acreage during the week, while planting

advanced 21 points in Missouri. Though planting was ahead of normal in most States, progress trailed the normal pace by 8 and 6 points in the two largest producing States, Kansas and Texas, respectively.

Rice: Growers had sown 94 percent of their crop, 1 point ahead of last year and 2 points ahead of normal. Seventy-eight percent of the crop had emerged, compared with 83 percent last year and 79 percent for the normal. Planting was complete or nearly complete and emergence was at or ahead of the normal pace in Texas and the Delta. Meanwhile in California, where rainfall earlier in the season delayed planting, just 72 percent of the acreage had been planted, and emergence was nearly 1 week behind normal.

Small Grains: Spring wheat planting was 94 percent complete, 1 point ahead of last year and 7 points ahead of normal. Emergence, at 75 percent complete, was 1 point behind last year but 12 points ahead of the 5-year average. Idaho's crop was 9 points behind the normal planting pace and 5 points behind normal for emergence. However, all other States were ahead of normal in both planting and emergence.

Barley producers had planted 90 percent of their acreage, compared with 92 percent last year and 87 percent for the 5-year average. Sixty-eight percent of the crop had emerged, 6 points behind last year but 7 points ahead of normal. Planting progress was ahead of normal in Minnesota and North Dakota but over 2 weeks behind in Idaho. Meanwhile, emergence progressed steadily in most areas, advancing 20 points nationwide.

Emergence of the oat crop advanced to 88 percent complete, the same as last year but 5 points ahead of normal. The most rapid progress was in the Ohio Valley, where one-fourth of Pennsylvania's crop and over one-fifth of Ohio's crop emerged during the week. Emergence neared completion in Nebraska and was at or ahead of normal in all States, except Minnesota.

Other Crops: Peanut planting advanced to 62 percent complete, compared with 68 percent last year and 70 percent for the 5-year average. Planting progressed rapidly in the Southeast, where wet conditions in previous weeks had severely hampered fieldwork. North Carolina producers planted 36 percent of their acreage during the week, while planting advanced 34 points in Virginia and 31 points in Georgia. Only Oklahoma growers planted less than one-fourth of their acreage. However, despite the rapid planting pace, progress was still behind normal in all States, except Texas.

Sunflower growers had planted 18 percent of their acreage, the same as last year but 1 point ahead of normal. North Dakota producers led the way, with one-fourth of their crop seeded. Planting progress was ahead of the normal pace on the Great Plains but slightly behind normal in Colorado.

Corn: Percent Planted, Selected States ¹

	1	Week Ending	5	2000-		
State	May 22, 2005	May 15, 2005	May 22, 2004	2004 Avg.		
	Percent	Percent	Percent	Percent		
CO	82	60	94	89		
IL	99	98	99	89		
IN	95	89	96	77		
IA	98	96	99	95		
KS	98	92	97	96		
KY	94	93	95	86		
MI	88	83	70	69		
MN	92	89	99	94		
MO	98	95	98	91		
NE	97	89	98	94		
NC	98	96	98	97		
ND	82	69	90	81		
OH	95	90	85	80		
PA	85	73	72	71		
SD	91	73	94	85		
TN	99	97	99	96		
TX	95	92	98	97		
WI	83	76	77	75		
18 Sts	95	89	95	88		

¹ These 18 States planted 92% of last year's corn acreage.

Corn: Percent Emerged, Selected States ¹

	1	Week Ending	5	2000-
State	May 22, 2005	May 15, 2005	May 22, 2004	2004 Avg.
	Percent	Percent	Percent	Percent
CO	36	17	55	48
IL	91	79	94	78
IN	74	51	86	65
IA	76	41	88	72
KS	77	57	75	80
KY	86	66	85	78
MI	42	13	52	41
MN	38	10	78	59
MO	88	79	92	81
NE	70	32	85	68
NC	93	86	94	91
ND	24	4	49	42
OH	60	28	73	65
PA	41	17	53	47
SD	32	7	57	41
TN	94	80	97	92
TX	80	75	89	90
WI	29	12	43	39
18 Sts	66	41	79	66

¹ These 18 States planted 92% of last year's corn acreage.

Soybeans: Percent Planted, Selected States ¹

	7	Week Ending	5	2000-
State	May 22, 2005	May 15, 2005	May 22, 2004	2004 Avg.
	Percent	Percent	Percent	Percent
AR	75	59	54	45
IL	89	70	70	59
IN	73	57	76	58
IA	70	45	85	69
KS	51	36	46	50
KY	65	43	33	31
LA	65	59	62	63
MI	73	58	36	37
MN	37	28	81	67
MS	95	91	95	85
MO	65	43	53	45
NE	71	36	67	60
NC	34	24	37	33
ND	49	19	63	51
OH	76	63	57	57
SD	36	12	51	45
TN	70	31	28	28
WI	54	39	38	43
18 Sts	65	46	65	56

¹ These 18 States planted 95% of last year's soybean acreage.

Soybeans: Percent Emerged, Selected States ¹

-	7	Week Ending			
State	May 22, 2005	May 15, 2005	May 22, 2004	2004 Avg.	
	Percent	Percent	Percent	Percent	
AR	55	36	43	33	
IL	44	15	48	35	
IN	37	12	57	41	
IA	21	4	52	30	
KS	23	9	19	28	
KY	30	0	25	21	
LA	55	47	53	51	
MI	15	5	25	18	
MN	6	1	28	20	
MS	89	80	90	74	
MO	33	15	35	26	
NE	25	5	35	26	
NC	17	6	20	18	
ND	4	0	11	10	
OH	29	9	41	38	
SD	3	1	10	10	
TN	31	9	15	15	
WI	11	1	12	14	
18 Sts	27	11	38	28	

¹ These 18 States planted 95% of last year's soybean acreage.

Winter Wheat: Percent Headed, Selected States ¹

	,	Week Ending	5	2000-
State	May 22, 2005	May 15, 2005	May 22, 2004	2004 Avg.
	Percent	Percent	Percent	Percent
AR	100	98	98	100
CA	100	99	100	99
CO	43	24	77	53
ID	0	0	0	1
IL	89	80	95	91
IN	65	43	88	81
KS	92	69	97	93
MI	1	0	18	12
MO	89	75	96	93
MT	0	0	0	1
NE	23	4	63	43
NC	96	92	98	98
OH	16	2	63	55
OK	100	98	100	100
OR	42	23	43	24
SD	1	0	13	5
TX	95	89	94	94
WA	35	29	25	20
18 Sts	71	59	78	73

¹ These 18 States planted 91% of last year's winter wheat acreage.

Cotton: Percent Planted, Selected States ¹

	7	Week Ending	5	2000-	
State	May 22, 2005	May 15, 2005	May 22, 2004	2004 Avg.	
_	Percent	Percent	Percent	Percent	
AL	87	73	85	85	
AZ	94	90	88	92	
AR	97	77	79	81	
CA	99	98	100	98	
GA	61	38	72	71	
KS	19	8	32	10	
LA	97	92	88	92	
MS	94	87	93	91	
MO	96	93	85	86	
NC	89	70	91	85	
OK	43	27	65	68	
SC	70	56	80	72	
TN	95	72	68	72	
TX	45	34	58	55	
14 Sts	68	55	72	70	

¹ These 14 States planted 98% of last year's cotton acreage.

Sorghum: Percent Planted, Selected States ¹

	•	Week Ending	2000		
State	May 22, 2005	May 15, 2005	May 22, 2004	2004 Avg.	
	Percent	Percent	Percent	Percent	
AR	95	84	82	90	
CO	28	18	29	23	
IL	62	43	53	32	
KS	25	11	29	33	
LA	89	86	89	86	
MO	67	46	58	57	
NE	41	15	36	36	
NM	12	3	14	12	
OK	29	27	30	30	
SD	18	10	28	22	
TX	53	50	65	59	
11 Sts	37	26	42	41	

¹ These 11 States planted 97% of last year's sorghum acreage.

Peanuts: Percent Planted, Selected States ¹

	Week Ending			2000-
State	May 22, 2005	May 15, 2005	May 22, 2004	2004 Avg.
	Percent	Percent	Percent	Percent
AL	67	41	74	73
FL	55	30	57	63
GA	56	25	69	69
NC	68	32	82	83
OK	67	55	80	74
TX	71	41	60	65
VA	73	39	81	84
7 Sts	62	32	68	70

¹ These 7 States planted 96% of last year's peanut acreage.

Rice: Percent Planted, Selected States ¹

State	Week Ending			2000-
	May 22, 2005	May 15, 2005	May 22, 2004	2004 Avg.
_	Percent	Percent	Percent	Percent
AR	98	93	94	94
CA	72	54	79	78
LA	98	96	97	98
MS	99	98	98	94
MO	99	94	98	87
TX	100	98	100	100
6 Sts	94	87	93	92

¹ These 6 States planted 100% of last year's rice acreage.

Rice: Percent Emerged, Selected States ¹

	Week Ending			2000-
State	May 22, 2005	May 15, 2005	May 22, 2004	2004 Avg.
	Percent	Percent	Percent	Percent
AR	88	67	87	86
CA	21	10	47	40
LA	96	89	95	94
MS	95	86	94	86
MO	83	60	91	75
TX	97	95	97	97
6 Sts	78	63	83	79

¹ These 6 States planted 100% of last year's rice acreage.

Spring Wheat: Percent Planted, Selected States ¹

	Week Ending			2000-
State	May 22, 2005	May 15, 2005	May 22, 2004	2004 Avg.
	Percent	Percent	Percent	Percent
ID	89	88	100	98
MN	95	93	99	86
MT	95	89	96	88
ND	92	84	88	81
SD	100	100	100	98
WA	100	100	100	100
6 Sts	94	89	93	87

¹ These 6 States planted 98% of last year's spring wheat acreage.

Spring Wheat: Percent Emerged, Selected States ¹

	Week Ending			2000-
State	May 22, 2005	May 15, 2005	May 22, 2004	2004 Avg.
	Percent	Percent	Percent	Percent
ID	82	73	92	87
MN	66	43	75	65
MT	76	48	72	57
ND	68	48	70	54
SD	99	96	98	90
WA	97	82	99	95
6 Sts	75	55	76	63

¹ These 6 States planted 98% of last year's spring wheat acreage.

Barley: Percent Planted, Selected States ¹

2									
	•	Week Ending							
State	May 22, May 15, May 22, 2005 2004		2004 Avg.						
	Percent	Percent	Percent	Percent					
ID	78	75	97	96					
MN	95	94	95	85					
MT	92	86	98	91					
ND	91	82	84	78					
WA	99	96	100	100					
5 Sts	90	83	92	87					

¹ These 5 States planted 81% of last year's barley acreage.

Barley: Percent Emerged, Selected States ¹

	7	Week Ending						
State	May 22, 2005	2004 Avg.						
	Percent	Percent	Percent	Percent				
ID	69	57	78	80				
MN	63	42	63	61				
MT	70	51	88	64				
ND	63	40	61	46				
WA	87	69	99	95				
5 Sts	68	48	74	61				

¹ These 5 States planted 81% of last year's barley acreage.

Oats: Percent Emerged, Selected States ¹

	,	Week Ending	5	2000-	
State	May 22, May 15, May 22, 2005 2005 2004			2004 Avg.	
	Percent	Percent	Percent	Percent	
IA	100	99	100	98	
MN	75	67	81	76	
NE	98	95	99	96	
ND	72	53	68	53	
OH	96	75	82	92	
PA	91	66	70	81	
SD	94	86	94	86	
TX	100	100	100	100	
WI	79	56	88	76	
9 Sts	88	78	88	83	

¹ These 9 States planted 67% of last year's oat acreage.

Sunflowers: Percent Planted, Selected States ¹

	1	Week Ending						
State	May 22, May 15, May 22, 2005 2004			2004 Avg.				
	Percent	Percent Percent		Percent				
CO	1	NA	12	4				
KS	20	NA	17	16				
ND	25	NA	22	23				
SD	10	NA	11	10				
4 Sts	18	NA	18	17				

¹ These 4 States planted 86% of last year's sunflowers acreage.

Corn: Crop Condition by Percent, Selected States, Week Ending May 22, 2005

Winter Wheat: Crop Condition by Percent, Selected States Week Ending May 22, 2005

State	VP	P	F	G	EX
	Percent	Percent	Percent	Percent	Percent
CO	0	1	21	60	18
IL	1	4	24	62	9
IN	1	7	32	53	7
IA	3	7	28	51	11
KS	0	5	34	56	5
KY	0	5 3	23	54	20
MI	1	7	40	40	12
MN	2	6	44	42	6
MO	0	5	40	50	5
NE	1	3	26	62	8
NC	0	1	32	59	8
ND	0	1	23	70	6
OH	6	11	35	40	8
PA	0	1	23	67	9
SD	0	5	22	61	12
TN	1	4	21	53	21
TX	2	9	28	45	16
WI	2	4	27	56	11
18 Sts	2	5	30	54	9
Prev Wk	NA	NA	NA	NA	NA
Prev Yr	1	4	24	56	15

State	VP	P	F	G	EX
	Percent	Percent	Percent	Percent	Percent
AR	0	9	47	38	6
CA	0	2	8	45	45
CO	4	12	30	36	18
ID	0	1	4	72	23
IL	1	5	24	52	18
IN	2	7	23	54	14
KS	5 3	15	37	36	7
MI	3	5	25	57	10
MO	1	9	37	46	7
MT	2 3	8	25	56	9
NE	3	7	40	44	6
NC	1	2 2	24	64	9
OH	1	2	19	56	22
OK	4	16	41	33	6
OR	1	6	29	54	10
SD	1	6	24	50	19
TX	4	16	38	36	6
WA	0	3	21	61	15
18 Sts	3	12	33	42	10
Prev Wk	2	10	33	44	11
Prev Yr	9	17	30	37	7

Cotton: Crop Condition by Percent, Selected States, Week Ending May 22, 2005

State	VP	P	F	G	EX
	Percent	Percent	Percent	Percent	Percent
AL	5	11	43	38	3
AZ	0	0	32	45	23
AR	0	1	20	60	19
CA	0	7	43	49	1
GA	1	9	36	49	5
KS	0	0	25	75	0
LA	5	15	43	34	3
MS	2	6	26	60	6
MO	0	4	27	61	8
NC	2	11	36	50	1
OK	0	0	38	62	0
SC	0	1	20	78	1
TN	0	1	20	59	20
TX	0	5	24	66	5
14 Sts	1	6	29	58	6
Prev Wk	NA	NA	NA	NA	NA
Prev Yr	NA	NA	NA	NA	NA

Rice: Crop Condition by Percent, Selected States, Week Ending May 22, 2005

Week Ending May 22, 2003									
State	VP	P	F	G	EX				
	Percent	Percent	Percent	Percent	Percent				
AR	3	6	33	44	14				
CA	0	0	53	47	0				
LA	0	3	53	37	7				
MS	0	1	15	77	7				
MO	0	8	28	63	1				
TX	0	7	20	58	15				
6 Sts	1	4	37	49	9				
Prev Wk	1	4	37	51	7				
Prev Yr	1	5	32	49	13				

VP-Very Poor, P-Poor, F-Fair, G-Good, EX-Excellent.

National crop conditions for selected States are weighted based on 2004 planted acres.

Spring Wheat: Crop Condition by Percent, Selected States, Week Ending May 22, 2005

State	VP	P	F	G	EX
	Percent	Percent	Percent	Percent	Percent
ID	0	0	9	59	32
MN	1	2	24	62	11
MT	1	2	35	55	7
ND	0	1	20	64	15
SD	0	4	25	58	13
WA	0	1	25	67	7
6 Sts	0	2	24	61	13
Prev Wk Prev Yr	NA 2	NA 5	NA 34	NA 52	NA 7

Barley: Crop Condition by Percent, Selected States, Week Ending May 22, 2005

State	VP	P	F	G	EX
	Percent	Percent	Percent	Percent	Percent
ID	0	0	12	40	48
MN	1	1	27	62	9
MT	1	1	36	53	9
ND	0	1	18	67	14
WA	0	1	23	71	5
5 Sts	0	1	22	59	18
Prev Wk	NA	NA	NA	NA	NA
Prev Yr	1	4	37	51	7

Oats: Crop Condition by Percent, Selected States, Week Ending May 22, 2005

State	VP	P	F	G	EX
	Percent	Percent	Percent	Percent	Percent
IA	0	4	19	64	13
MN	1	2	24	63	10
NE	0	3	23	59	15
ND	0	1	24	69	6
OH	1	5	27	50	17
PA	0	6	24	57	13
SD	0	3	24	62	11
TX	4	17	47	27	5
WI	0	2	20	63	15
8 Sts	1	6	29	54	10
Prev Wk	1	6	30	55	8
Prev Yr	2	6	34	49	9

VP-Very Poor, P-Poor, F-Fair, G-Good, EX-Excellent.

National crop conditions for selected States are weighted based on 2004 planted acres.

Pasture and Range: Crop Condition by Percent, Selected States, Week Ending May 22, 2005

State	VP	P	F	G	EX	State	VP	P	F	G	EX
	Percent	Percent	Percent	Percent	Percent		Percent	Percent	Percent	Percent	Percent
AL	1	5	34	55	5	NJ	0	0	77	23	0
ΑZ	2	16	40	28	14	NM	0	9	32	57	2
AR	2	14	47	33	4	NY	0	5	31	52	12
CA	0	0	15	45	40	NC	0	2	22	67	9
CO	2	14	32	47	5	ND	4	10	38	42	6
CT	0	0	46	43	11	OH	0	4	23	58	15
DE	0	0	26	58	16	OK	4	16	40	35	5
FL	0	0	45	50	5	OR	2	4	23	58	13
GA	0	5	29	58	8	PA	1	6	35	44	14
ID	0	0	9	52	39	RI	0	0	0	50	50
IL	0	3	25	59	13	SC	0	2	29	59	10
IN	1	2	22	61	14	SD	6	11	33	42	8
IA	1	2	16	64	17	TN	0	6	24	61	9
KS	2	12	37	44	5	TX	5	17	39	34	5
KY	1	3	24	57	15	UT	1	1	8	74	16
LA	11	33	43	13	0	VT	0	5	45	50	0
ME	0	10	40	37	13	VA	0	5	36	50	9
MD	0	3	29	49	19	WA	3	20	22	53	2
MA	0	5	25	60	10	WV	0	1	18	70	11
MI	3	5	34	43	15	WI	2	7	37	47	7
MN	1	9	29	53	8	WY	4	20	40	30	6
MS	2	7	39	43	9	40.0		10		4.5	1.0
MO	3	12	38	43	4	48 Sts	2	10	32	46	10
MT	5	17	40	32	6 7	D 117	2		22	4.4	
NE	2	11	30	50		Prev Wk	3	9	33	44	11
NV	0	0	11	53	36	Prev Yr	7	14	28	40	11
NH	0	2	19	55	24						

VP-Very Poor, P-Poor, F-Fair, G-Good, EX-Excellent.

National crop conditions for selected States are weighted based on 2004 planted acres.

Crop Progress and Condition Survey and Estimating Procedures

Survey Procedures: Crop progress and condition estimates are based on survey data that are collected each week from early April to the end of November. The Crop progress and condition surveys are non-probability surveys that include a sample of more than 5,000 reporters whose occupations provide them opportunities to make visual observations and frequently bring them in contact with farmers in their counties. Based on standard definitions, these reporters subjectively estimate progress of farmers' activities and progress of crops through their stages of development. They also provide subjective evaluations of crop conditions.

Most reporters complete their questionnaire on Friday or early Monday morning and submit it to the Agricultural Statistics Service's office in their State by mail, telephone, fax, e-mail, or through a secured internet website. A small number of reports are completed on Thursday, Saturday, and Sunday. Regardless of the time that the questionnaire is completed, reporters are asked to report for the week ending on Sunday. For reports submitted prior to the Sunday reference date, a degree of uncertainty is introduced into the projections for weekend progress and crop condition changes. By the end of the 2001 season, nearly two-thirds of the data were being submitted through the internet website. As a result, about one-half of all data are submitted on Monday morning, which has significantly reduced this projection uncertainty.

Reporters are sent written reporting instructions at the beginning of each season and are contacted periodically to ensure proper reporting. Terms and definitions of crop stages and condition categories that are used as reporting guidelines are available on the National Agricultural Statistics Service (NASS) website at: www.usda.gov/nass/pubs/cwterms.htm.

Estimating Procedures: Reported data are reviewed for reasonableness and consistency by comparing with data reported the previous week and data reported in surrounding counties for the current week. Each State Statistical Office summarizes the reported data to district and State levels, weighting each county's reported data by NASS county acreage estimates. Summarized indications are compared with previous week estimates, and progress items are compared with earlier stages of development and historical averages to ensure reasonableness. Weather events and reporter comments are also taken into consideration. State estimates are submitted to the Agricultural Statistics Board (ASB) along with supporting comments, where they are compared with surrounding States and compiled into a National level summary by weighting each State by its acreage estimates.

Revision Policy: Progress and condition estimates in the "**Crop Progress**" report are released after 4:00 pm ET on the first business day of the week. These estimates are preliminary and subject to corrections or updates in the "**Weekly Weather and Crop Bulletin**" National Summary that is released after 12:00 pm ET on the second business day of the week. These estimates are then subject to revision the following week.

ACCESS TO REPORTS!!

For your convenience, there are several ways to obtain NASS reports, data products, and services:

INTERNET ACCESS

All NASS reports are available free of charge on the worldwide Internet. For access, connect to the Internet and go to the NASS Home Page at: www.usda.gov/nass/. Select "Today's Reports" or Publications and then Reports Calendar or Publications and then Search, by Title or Subject.

E-MAIL SUBSCRIPTION

All NASS reports are available by subscription free of charge direct to your e-mail address. Starting with the NASS Home Page at www.usda.gov/nass/, click on Publications, then click on the Subscribe by E-mail button which takes you to the page describing e-mail delivery of reports. Finally, click on Go to the Subscription Page and follow the instructions.

PRINTED REPORTS OR DATA PRODUCTS

CALL OUR TOLL-FREE ORDER DESK: 800-999-6779 (U.S. and Canada) Other areas, please call 703-605-6220 FAX: 703-605-6900 (Visa, MasterCard, check, or money order acceptable for payment.)

ASSISTANCE

For **assistance** with general agricultural statistics or further information about NASS or its products or services, contact the **Agricultural Statistics Hotline** at **800-727-9540**, 7:30 a.m. to 4:00 p.m. ET, or e-mail: **nass@nass.usda.gov.**

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.